

Qualifier Rules Package:

The Winner & top finishing Spud Regular Street Stock Racer will get a guaranteed starting position in the Ikey Door Race at Speedway 95 on Saturday, October 12th!

Suspension:

- Stock lower A Frames only for make and model
- Stock length upper A frames +/- 1"
- Stock sway bar only in stock location with maximum 1 1/2 " diameter
- Shocks and struts must be 50/50 nonadjustable steel
- Ball joints must be bolted in and nonadjustable
- 3 link allowed
- Leaf Springs must be steel and have a minimum of 4 leafs
- Front and rear adjustable cup and/or jacking bolts are allowed
- All cars must be 5" including body from the ground with driver inside
- Cars may be tied together above the floorboards
- No "Xing" of frame
- Stock appearing Firewall and floorboards may have right side cut out for exhaust
- Must have Stock main frame
- No Travel eliminating devices

Engine:

- Small Blocks Only
- Maximum compression 10:2:1
- Intake 2101/2116/602 crate intake allowed
- Carburetor stock Holly 4412 must pass tech tools
- Must use mister gasket #1929 / 1937 / 1933
- No MSD Boxes
- Stock rockers Only
- 12" crank height from ground to the center bolt with driver in the car
- #1 Plug must be in line no further back than top of ball joint
- Steel Heads only
- 194 Intake Valves / 1.6 exhaust valve maximum
- No angle plug heads allowed

Transmission:

- Stock 3 or 4 speed automatics or 3 speed manuals allowed. All Gears MUST be working.
- Clutch Pressure Plate, Flywheel, and bolts minimum of 33lbs.

Track Width:

- 72 ½ outside bead to bead
- Wheels / Tires
- 7" or 8" steel wheel only
- 7" 790 Hoosier and 7" 705 American Racer Tires allowed (Spud does have American Racers available at the track)
- Tire Durometer rule (no softer than 50 after the race)

<u>Weight:</u>

- Minimum of 3000lbs with driver start of race. Cars are allowed to refuels after the race to meet weight requirement
- Maximum rear weight is 49%
- 55% left side weight on 7" rims w/ American Racer Tires
- 54.5% left side weight on 7" rims w/ Hoosier Tires
- 54% left side weight on 8" rims w/ American Racer Tires
- 53.5% left side weight on 8" rims w/ Hoosier Tires

Bodies:

- Stock appearing for make and model
- No dirt noses or open tails
- No more than a 5" rear spoiler

TECH HAS FINAL SAY ON ALL RULES DAY OF THE RACE NO BS WILL BE TOLERATED! Tech questions, please call (207)692-4786

Race Purse: \$10,000 Total

| 1st \$3000 | 7th. \$400 |
|------------|---------------------------------------|
| 2nd \$1500 | 8th \$300 |
| 3rd \$1000 | 9th \$250 |
| 4th \$750 | 10th \$200 |
| 5th \$600 | 11th back get \$150 each |
| 6th \$500 | Total Purse based on 20 cars or more. |